









Kuyruk Taşları			2500 - 1300 KG		
▲▲▲	▲▲	▲ (kg)	PHZ2500	PHZ1900	PHZ1300
56m	12.3m	15100	4	2	1
51m	12.3m	13800	4	2	0
46m	12.3m	12600	3	2	1
41m	12.3m	11300	3	2	0
36m	12.3m	10000	4	0	0
31m	12.3m	8800	2	2	0

Nihai ürün özellikleri sipariş emri veya satış sözleşmesine göre olacaktır.

Mastlar / Reaksiyonlar



Bina Bağlantıları



Yük Tabloları

		Azami kapasite (m/t)	15.0	20.0	25.0	28.5	31.0	33.5	36.0	38.5	41.0	43.5	46.0	48.5	51.0	53.5	56.0
56 (R=57.4)		2.5~25.55/3.00	3.00			2.62	2.35	2.13	1.93	1.76	1.61	1.48	1.36	1.26	1.16	1.08	1.00
		2.5~13.94/6.00	5.52	3.96	3.02	2.56	2.29	2.06	1.87	1.70	1.55	1.42	1.30	1.20	1.10	1.02	0.94
51 (R=52.4)		2.5~26.58/3.00	3.00			2.75	2.48	2.24	2.04	1.86	1.71	1.57	1.45	1.34	1.24		
		2.5~14.50/6.00	5.78	4.15	3.17	2.69	2.41	2.18	1.97	1.80	1.64	1.51	1.38	1.27	1.18		
46 (R=47.4)		2.5~27.49/3.00	3.00			2.87	2.58	2.34	2.13	1.95	1.79	1.65	1.52				
		2.5~15.00/6.00	6.00	4.31	3.30	2.81	2.52	2.28	2.07	1.89	1.73	1.58	1.46				
41 (R=42.4)		2.5~27.69/3.00	3.00			2.90	2.61	2.36	2.15	1.97	1.81						
		2.5~15.11/6.00	6.00	4.35	3.33	2.83	2.54	2.30	2.09	1.90	1.74						
36 (R=37.4)		2.5~28.84/3.00	3.00			2.74	2.49	2.27									
		2.5~15.75/6.00	6.00	4.56	3.50	2.98	2.68	2.43	2.21								
31 (R=32.4)		2.5~28.84/3.00	3.00			2.74											
		2.5~15.74/6.00	6.00	4.56	3.50	2.98	2.68										

Mekanizmalar

	Dönüş		HR75.130	
	0-0.65 d/dak	7.5kW		
	Şaryo		BP33E	
	50/25 m/dak	3.3/2.2 kW		
	Yürüyüş		ZA52-Dx2 B52-Dx2	
	0-25 m/dak	2x25 kW		
	380V(±%10)50Hz		34.8+2x5.2kW (Kule asansörü hariç)	

Kanca H24SP15-440P			
I		3t	8.88m/dak
		6t	4.44m/dak
II		3t	40m/dak
		6t	20m/dak
III		1.5t	80m/dak
		3t	40m/dak



Kanca

5.4/24/24kW



440m Ø (6 kat sarım)

Ø Aşması istenen yükseklik için danışın

Paket Listesi

No.	Açıklama	Eskiz	L(m)	B(m)	H(m)	Parça Başı Ağırlık (t)	Adet
1	Kuyruk - Jib		11.59	1.32	0.43	0.19	1
2	Jib G1		10.17	1.32	1.34	0.91	1
3	Jib G2		10.17	1.32	1.34	0.82	1
4	Jib G4		10.17	1.32	1.34	0.72	1
5	Jib G5		10.17	1.32	1.34	0.65	1
6	Jib G6		5.17	1.32	1.34	0.32	1
7	Jib G7		10.17	1.32	1.34	0.62	1
8	Jib G8		1.80	1.32	1.44	0.16	1
9	Cendere		8.99	1.43	1.62	1.92	1
10	Kanca		1.128	0.50	1.70	0.28	1
11	Tırmanma Ekipmanı		6.05	2.35	2.25	1.64	1
12	Dönüş Grubu		2.11	2.09	2.26	2.68	1
13	Şaryo		1.46	1.58	0.94	0.31	1
14	Kabin		2.08	1.25	2.23	0.68	1
15	Mast E2		2.80	1.70	1.70	0.78	12
16	Temel Mastı		5.95	1.92	1.92	1.76	1
17	Temel Mastı		5.95	1.70	1.70	1.66	1
18	Yürüyüş Takımı Motorlu		7.53	1.00	0.85	1.30	2
19	Yürüyüş Takımı Motorsuz		3.63	0.52	0.83	0.62	2
20	Mobil Alt Taşıyıcı Şase - Tam Kiriş		1.25	1.35	0.90	0.82	1
21	Kablo Tamburu		1.25	0.60	0.90	0.68	1
22	Mobil Alt Taşıyıcı Şase - Yarım Kiriş		0.85	2.20	2.20	0.75	2