









Kuyruk Taşları		2900 - 1800 KG		
▲▲▲▲	■	(kg)	PHZ2900	PHZ1800
65m	15.3m	17400	6	0
60m	15.3m	16300	5	1
55m	15.3m	16300	5	1
50m	15.3m	14500	5	0
45m	15.3m	13400	4	1
40m	15.3m	11600	4	0
35m	15.3m	10500	3	1
30m	15.3m	8700	3	0

Nihai ürün özellikleri sipariş emri veya satış sözleşmesine göre olacaktır.

Mastlar / Reaksiyonlar




Bina Bağlantıları













Yük Tabloları

		Azami kapasite (m/t)	2.5~15	20	25	30	35	40	45	50	55	60	65
65 (R=66.3)	б	2.5~28.88/4.00	4.00			3.82	3.14	2.64	2.25	1.94	1.69	1.48	1.30
	бб	2.5~15.93/8.00	8.00	6.13	4.69	3.74	3.07	2.57	2.18	1.87	1.61	1.40	1.23
60 (R=61.3)	б	2.5~31.00/4.00	4.00				3.44	2.90	2.48	2.15	1.88	1.65	
	бб	2.5~17.08/8.00	8.00	6.66	5.11	4.09	3.37	2.83	2.41	2.07	1.80	1.58	
55 (R=56.3)	б	2.5~32.40/4.00	4.00				3.64	3.07	2.63	2.28	2.00		
	бб	2.5~17.84/8.00	8.00	7.01	5.39	4.32	3.56	3.00	2.56	2.21	1.93		
50 (R=51.3)	б	2.5~32.56/4.00	4.00				3.66	3.09	2.65	2.30			
	бб	2.5~17.93/8.00	8.00	7.05	5.42	4.35	3.58	3.02	2.58	2.23			
45 (R=46.3)	б	2.5~32.55/4.00	4.00				3.66	3.09	2.65				
	бб	2.5~17.92/8.00	8.00	7.05	5.42	4.34	3.58	3.02	2.58				
40 (R=41.3)	б	2.5~32.23/4.00	4.00				3.61	3.05					
	бб	2.5~17.75/8.00	8.00	6.97	5.35	4.29	3.54	2.98					
35 (R=36.3)	б	2.5~31.43/4.00	4.00				3.50						
	бб	2.5~17.31/8.00	8.00	6.77	5.20	4.16	3.43						
30 (R=31.3)	б	2.5~30.00/4.00	4.00										
	бб	2.5~17.11/8.00	8.00	6.63	5.11	4.10							

Mekanizmalar

	Dönüş		HPW55F1.130A HPW55F2.130A			Kanca QP8100D2			
Dönüş	0~0.9 d/dak	2x5.5kW	I	б		4t	50m/dak		
	Şaryo		BP40B			II	бб	8t	25m/dak
	Şaryo	0~55 m/dak	4.0 kW						
	Yürüyüş		ZA52-D B52-D		610m Ø (6 kat sarım) Ø Aşması istenen yükseklik için danışın		б	2t	100m/dak
	Yürüyüş	0~25 m/dak	2x5.2 kW				бб	4t	50m/dak
	380V(±%10)50Hz				52.0+2x5.2kW (Kule asansörü hariç)				

Paket Listesi

No.	Açıklama	Eskiz	L(m)	B(m)	H(m)	Parça Başı Ağırlık (t)	Adet
1	Jib I		10.23	1.58	2.36	2.64	1
2	Jib II		10.22	1.33	2.17	1.70	1
3	Jib IV		5.22	1.33	1.72	0.62	1
4	Jib V		10.20	1.33	1.71	0.90	1
5	Jib VI		5.16	1.33	1.67	0.38	1
6	Jib VII		5.15	1.33	1.64	0.32	1
7	Jib VIII		10.12	1.33	1.63	0.48	1
8	Jib III		10.18	1.33	2.13	1.38	1
9	Jib IX		0.82	1.60	1.41	0.13	1
10	Kuyruk Jib - 1		8.57	1.36	2.27	2.35	1
11	Kuyruk Jib - 2		8.07	1.49	0.46	1.71	1
12	Dönüş Grubu		1.96	2.34	2.50	3.83	1
13	Şaryo		1.77	1.57	0.92	0.30	1
14	Kanca		1.07	0.34	1.61	0.40	1
15	Kabin		2.12	1.61	2.31	0.70	1
16	Vinç Mekanizması		1.82	2.03	1.05	2.72	1
17	Geçiş Mastı		2.00	2.70	2.20	0.80	1
18	Tırmanma Ekipmanı		6.54	2.81	2.76	3.95	1
19	Mast MQ		2.80	2.20	2.16	1.31	4
20	Mast MQQ					1.63	1
21	Temel Mastı MQQ					1.63	1
22	Mobil Alt Taşıyıcı Şase - Tam Kiriş		8.94	1.00	0.83	1.69	1
23	Mobil Alt Taşıyıcı Şase - Yarım Kiriş		4.33	0.51	0.93	0.80	2