







Yük Tabloları

 R(m)		Azami kapasite (m/t)	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80
80 (R=82)	bd	3.5~27.60/12.50	12.50				11.30	9.36	7.92	6.81	5.93	5.21	4.62	4.12	3.69	3.32	3.00
	bb	3.5~14.80/25.00	25.00	24.49	17.09	12.84	10.07	8.13	6.69	5.58	4.70	3.98	3.39	2.89	2.46	2.09	1.77
75 (R=77)	bd	3.5~31.60/12.50	12.50				11.06	9.40	8.12	7.11	6.28	5.60	5.02	4.53	4.10		
	bb	3.5~16.80/25.00	25.00		20.18	15.26	12.07	9.83	8.17	6.89	5.88	5.05	4.37	3.79	3.30	2.87	
70 (R=72)	bd	3.5~34.90/12.50	12.50				12.44	10.60	9.18	8.06	7.14	6.39	5.75	5.20			
	bb	3.5~18.50/25.00	25.00		22.67	17.23	13.69	11.21	9.37	7.95	6.83	5.91	5.15	4.52	3.97		
65 (R=67)	bd	3.5~36.40/12.50	12.50				11.18	9.70	8.52	7.56	6.77	6.10					
	bb	3.5~19.30/25.00	25.00		23.88	18.18	14.48	11.88	9.95	8.47	7.29	6.33	5.54	4.87			
60 (R=62)	bd	3.5~37.00/12.50	12.50				11.38	9.88	8.68	7.71	6.90						
	bb	3.5~19.50/25.00	25.00		24.29	18.51	14.75	12.11	10.15	8.64	7.45	6.48	5.67				
55 (R=57)	bd	3.5~37.30/12.50	12.50				11.51	9.99	8.78	7.80							
	bb	3.5~19.70/25.00	25.00		24.56	18.72	14.92	12.26	10.28	8.76	7.55	6.57					
50 (R=52)	bd	3.5~37.00/12.50	12.50				11.41	9.90	8.70								
	bb	3.5~19.60/25.00	25.00		24.35	18.55	14.78	12.14	10.18	8.67	7.47						
40 (R=42)	bd	3.5~35.90/12.50	12.50				11.00										
	bb	3.5~19.00/25.00	25.00		23.50	17.88	14.23	11.67	9.77								

Mekanizmalar

	Dönüş		HW145B1.130Bx2 HW145B2.130Bx1			Kanca QP2580A			
Dönüş	0~0.7 d/dak	3x145 N.m				III	bd	12.5t	27m/dak
	Şaryo		BP110A			IV	bd	25.0t	13.5m/dak
	0~100 m/dak	11 kW					bd	6.25t	53m/dak
	Yürüyüş		ZAK52-D ZBK52-D		650m Ø (6 kat sarım)	V	bd	12.5t	27m/dak
	0~25 m/dak	6x5.2 kW					bd	1.0t	80m/dak
					○ Aşması istenen yükseklik için danışın		bd	2.0t	40m/dak
380V(±%10)50Hz					96.5+6x5.2kW (Kule asansörü hariç)				

Paket Listesi

No.	Açıklama	Eskiz	L(m)	B(m)	H(m)	Parça Başı Ağırlık (t)	Adet
1	Kuyruk Jib - 1		11.58	2.11	2.53	7.30	1
2	Kuyruk Jib - 2		11.76	1.87	0.59	4.90	1
3	Jib I		10.40	2.15	2.56	7.96	1
4	Jib II		10.40	1.90	2.45	5.64	1
5	Jib III		10.50	1.90	2.48	3.84	1
6	Jib IV		10.40	1.90	2.42	2.96	1
7	Jib V		10.40	1.90	2.37	2.21	1
8	Jib VI		10.30	1.90	2.30	1.61	1
9	Jib VII		5.20	1.90	1.83	0.66	1
10	Jib VIII		5.20	1.90	1.82	0.50	1
11	Jib IX		5.20	1.90	1.79	0.45	1
12	Jib X		5.00	1.90	1.78	0.41	1
13	Jib Ucu		1.50	2.15	1.60	0.29	1
14	Şaryo		4.31	2.18	1.28	1.16	1
15	Kanca		1.90	0.42	2.38	0.98	1
16	Dönüş Grubu		3.20	2.44	2.32	10.80	1
17	Cendere		3.30	2.40	2.32	3.40	1
18	Geçiş Mastı		6.00	2.50	3.25	7.30	1
19	Mast		6.00	0.30	0.30	0.87	44
20	Güçlendirilmiş Mast		6.00	0.30	0.30	1.08	8
21	Tırmanma Ekipmanı		11.58	0.37	0.37	1.40	4
22	Vinç Mekanizması		2.27	2.45	1.26	4.76	1
23	Şaryo Mekanizması		1.55	0.80	0.90	0.73	1
24	Kabin		2.10	1.60	2.24	1.00	1