










Kuyruk Taşları		 13750 - 7500 KG			
		 (kg)	PHZ13750	PHZ9500	PHZ7500
80m	23.0m	68750	5	0	0
70m	23.0m	62500	4	0	1
60m	23.0m	52000	2	1	2
50m	23.0m	45750	1	1	3
40m	23.0m	34000	0	2	2

Nihai ürün özellikleri sipariş emri veya satış sözleşmesine göre olacaktır.

Mastlar / Reaksiyonlar



Bina Bağlantıları



Yük Tabloları

		Azami kapasite (m/t)	15	20	25	30	35	40	45	50	55	60	65	70	75	80
80 (R=82.9)	b	6.5~43.48/21.00	21.00						20.16	17.75	15.80	14.19	12.83	11.67	10.67	9.80
	bb	6.5~23.06/42.00	42.00		38.02	30.33	24.97	21.02	17.98	15.58	13.63	12.01	10.66	9.50	8.50	7.63
	bbb	6.5~16.05/63.00	63.00	47.57	35.62	27.93	22.57	18.62	15.58	13.18	11.23	9.61	8.26	7.10	6.10	5.23
70 (R=72.9)	b	6.5~44.90/21.00	21.00						20.70	18.20	16.20	14.60	13.19	12.00		
	bb	6.5~23.77/42.00	42.00		39.49	31.54	26.00	21.91	18.77	16.28	14.27	12.60	11.20	10.00		
	bbb	6.5~16.53/63.00	63.00	49.45	37.09	29.14	23.60	19.51	16.37	13.88	11.87	10.20	8.79	7.60		
60 (R=62.9)	b	6.5~46.59/21.00	21.00						19.10	17.00	15.30					
	bb	6.5~24.63/42.00	42.00		41.25	32.99	27.22	22.97	19.71	17.13	15.03	13.30				
	bbb	6.5~17.10/63.00	63.00	51.69	38.85	30.59	24.82	20.57	17.31	14.73	12.63	10.90				
50 (R=52.9)	b	6.5~47.25/21.00	21.00						19.60							
	bb	6.5~25.16/42.00	42.00			33.89	27.98	23.63	20.29	17.65						
	bbb	6.5~17.46/63.00	63.00	53.07	39.93	31.47	25.58	21.23	17.89	15.25						
40 (R=42.9)	b	6.5~40.00/21.00	21.00													
	bb	6.5~25.16/42.00	42.00			33.87	27.98	23.63								
	bbb	6.5~17.46/63.00	63.00	53.07	39.93	31.47	25.58	21.23								

Mekanizmalar

	Dönüş	HPW185F1.350Ax2 (80m Jib) HPW185F1.350Ax1 (80m Jib) HPW185F2.350Ax1		Kanca	Kanca QPL4275
Dönüş	0~0.6 d/dak	3x18.5kW (80m Jib) 2x18.5kW (Diğerleri)	Kanca	132kW	b 21.0t 30m/dak bb 42.0t 15.0m/dak bbb 63.0t 10.0m/dak
Şaryo	0~50 m/dak	BP185 18.5 kW			b 10.5t 60m/dak bb 21.0t 30.0m/dak bbb 31.5t 20.0m/dak
Yürüyüş	0~15 m/dak	ZA110x2 ZB110x2 4x11 kW		1070m Ø (8 kat sarım) Ø Aşması istenen yükseklik için danışın	b 4.0t 75m/dak bb 8.0t 37.5m/dak bbb 22.0t 25.0m/dak
	380V(±%10)50Hz		206.0+4x11kW (80m Jib) 187.5+4x11kW (Diğerleri)		

Paket Listesi

No.	Açıklama	Eskiz	L(m)	B(m)	H(m)	Parça Başı Ağırlık (t)	Adet
1	Jib I		10.25	2.22	2.37	4.23	1
2	Jib II		10.36	1.90	2.37	4.10	1
3	Jib III		10.36	1.90	2.37	3.83	1
4	Jib IV		10.36	1.90	2.35	2.54	1
5	Jib V		10.36	1.90	2.35	3.06	1
6	Jib VI		10.36	1.90	2.35	2.90	1
7	Jib Ucu		10.32	1.90	2.33	2.43	1
8	Jib VIII		10.29	1.90	2.30	1.69	1
9	Cendere		1.10	2.15	2.72	0.43	1
10	Jib VII		12.20	0.37	2.09	4.80	1
11	Üst Göbek		3.88	2.85	1.50	9.00	1
12	Alt Göbek		4.50	2.80	2.09	11.60	1
13	Geçiş Mastı		5.14	2.67	1.58	6.80	2
14	Şaryo Mekanizması		2.47	2.28	1.31	0.98 0.83 0.81	1 1 1
15	Kuyruk Jib Ön Tarafı		11.90	2.10	2.56	10.00	1
16	Kuyruk Jib Arka Tarafı		11.85	2.05	2.47	8.00	1
17	Kuyruk Kamçı Bağlama Aparatı		2.67	1.95	1.12	1.35	1
18	Kabin		2.31	1.58	2.20	0.80	1
19	Temel Mastı - I		6.00	0.41	2.21	1.49	5x4
	Temel Mastı - II		2.64	0.13	1.93	0.15	5x8
20	Mast - I		6.00	0.41	2.21	1.29	11x4
	Mast - II		2.64	0.13	1.93	0.13	11x8
21	Tırmanma Ekipmanı		12.00	-	-	30.00	1
22	Mobil Alt Taşıyıcı Şase Yarım Kiriş		10.70	1.28	3.62	15.00	2
23	Vinç Mekanizması		3.58	2.57	1.77	8.65	1
24	Şaryo Mekanizması		2.22	9.80	1.00	1.46	1
25	Temel Mastı (Yürüyüş)		6.00	0.41	2.21	1.80	2x4